



TASSIE AQUA FILTERS

Whole Home Water Solutions by Origin Flow

**Contact 0410 592 338
to book a site visit**

WATER FILTRATION SYSTEMS Price Guide & Specifications

TASMANIAN DISTRIBUTOR AND INSTALLER OF AQUA CO. SYSTEMS

Each system is tailored to your needs.
Request a free consultation for pricing specific to your home.

Prices are indicative only and subject to change without notice. Final pricing is confirmed at quotation and depends on your home, water conditions and installation requirements. All systems are individually quoted. Product specifications and certifications are supplied by the manufacturer, AquaCo. This guide is for general information and does not constitute a formal quote or offer.

WWW.TASSIEAQUAFILTERS.COM.AU

AquaCo[®] FILTERS

Whole House Filtration System

Unmatched Components, Unbeatable Performance and Unique Benefits!



FREE-REPLACEMENT FILTERS

1 FREE FILTER SET PER REFERRAL

On each successful new install.^{1,4,5}



UNLIMITED ADD-ON WARRANTY

2 WARRANTY EXTENSION

12 months add-on warranty when filters have been replaced every 18 months.²



UNLIMITED FREE 1st STAGE FILTER

3 FREE EMERGENCY FILTER

If filter blocks prematurely before the 12-month replacement period.³



(POE) - Part 1

AquaCo Triple Premium

OUR SOLUTION



(POU) - Part 2 (Optional)

AquaCo Compact RO

Premium Whole House Water Filters

BOTH

Compact RO

Human Eye
1000µm

Optical Microscope
100µm

Optical Microscope
10µm

1µm

Scanning Electron Microscope
0.1µm

0.01µm

ST Microscope
0.001µm (1nm)

0.0001µm (0.1nm)

Microplastics

Sand Particles

Fine Dust

Viruses

Mold Spores

Human Hair

Parasites

Milled Flour

Bacteria

Pesticides

Bloodworms

Insect Eggs

Dye, Gelatin & Pigment

Hormones

Fluoride Ions

Antibiotics

Dissolved Salts

BPA

Toxic Heavy Metal Ions

PFAS & PFOS

Arsenic

Calcium Hardness

AquaCo's Unique Benefits Terms & Conditions:

1. Maximum of one free set per year.

2. Applies once 5-year warranty expires providing filters have always been replaced within 18 months.

3. Limit of one free sediment filter per year.

4. A free set of replacement filters is only available when the referee purchases at full price.

5. Not available in conjunction with any promo or discount on the referral or referee side.



TASSIE AQUA FILTERS

www.tassieaquafilters.com.au



What Many Families Notice...



- ✓ Significantly less scale buildup on taps & shower screens
- ✓ Less soap scum accumulation
- ✓ Fewer stubborn mineral deposits



- ✓ Improved lather from soaps & shampoos
- ✓ A cleaner, fresher shower experience
- ✓ Reduced chlorine odour in steam



- ✓ Cleaner, fresher taste from every tap
- ✓ Softer, smoother feeling hair and skin
- ✓ Better smelling and better tasting water



- ✓ Less scrubbing
- ✓ Better soap action
- ✓ Protects bathroom & plumbing



- ✓ Reduced spotting on glass & vehicles
- ✓ May help with the prevention of iron stains.



- ✓ pH>8 (Alkaline water)
- ✓ Mineralised drinking water
- ✓ Improved flavour in tea & coffee



- ✓ Shinier Dishes
- ✓ May assist in extending appliance lifespan
- ✓ Protects dishwashers from scale accumulation



- ✓ Clothes that feel softer
- ✓ Cleaner heating elements
- ✓ Less residue on fabrics



- ✓ Protects tapware and plumbing fixtures
- ✓ Shinier surfaces & easier cleaning
- ✓ Supports cleaner internal plumbing



- ✓ Protects coffee machines and ice makers from scale accumulation
- ✓ Clearer, better tasting ice

Important Information: AquaCo filtration systems are designed to reduce specific contaminants commonly found in treated and bore water supplies. Outcomes vary depending on incoming water quality, usage patterns, and household conditions. Our systems are not intended to diagnose, treat, cure, or prevent any medical condition.

Triple Premium PFAS Whole House Filtration System

Stainless Steel Oil Filled Pressure Gauges

- ✓ Sun-resistant.
- ✓ Corrosion-resistant.
- ✓ Monitor incoming and outgoing water pressure.
- ✓ Stainless Steel oil filled pressure gauges for maximum precision and durability.

316 Marine Grade Stainless Steel Cover

- ✓ High-quality, anticorrosive, and weather-resistant. Designed to protect equipment in extreme conditions keeping filters and housings cool.
- ✓ Unlike plastic covers, it won't discolor or become brittle.

Note: Use **durable** and **sun-resistant components**. Painted covers and powder coated brackets can corrode, crack and peel off over time.

316 Marine Grade Stainless Steel Bracket

- ✓ Designed to protect equipment in extreme conditions.
- ✓ Corrosion resistant.

- COOL! -

Stainless steel has higher **reflectivity**, meaning it absorbs less heat from sunlight compared to plastic. In contrast, plastic absorbs more solar radiation and can reach significantly higher temperatures under the same conditions.

For example, an experiment we conducted on a **32°C** day, we placed both materials in direct sunlight and measured their surface temperatures.

- Results:**
- ✓ **Stainless Steel Cover: 27°C**
 - ✗ **Plastic Cover: 50°C**

Stainless Steel Reinforced Ports

- ✓ 316 Marine Grade Stainless Steel reinforced heads prevent leaks, cracks and material fatigue after years of use under pressure.



PP Caps with Superior Super-Seal

- ✓ PP caps for maximum strength and durability.



- ✓ Our super-seal mechanism protects the washers from being damaged when tightening the housings preventing water bypass.

Stainless Steel Stand and Frame

- ✓ Corrosion resistant.
- ✓ Designed to protect equipment in extreme conditions. Powder coated brackets rust over time.
- ✓ A full Stainless-Steel Frame gives rigidity to the system, protecting the heads and pipework from stress when replacing the filters.

20" x 4.5" Filters

- ✓ 20" filters have 100% more capacity compared to 10" x 4.5" filters.
- ✓ Filters last up to 18 months compared to 6 to 9 months for 10" and 15".



ScaleStop® Sediment Filter

- ✓ Anti-Scale Technology: Inhibits hard mineral buildup.
- ✓ Triple gradient sediment filter.
- ✓ 100% polypropylene.
- ✓ Removes sediment, dust, dirt, rust, sand, silt, and algae.

Chlorine, Taste and Odour Removal

- ✓ Pure Coconut Shell Activated Carbon.
- ✓ Removes chlorine, volatile organic compounds, pesticides, herbicides, taste and odour from water.

Disruptor® Filter

- ✓ Combines 4 filtration methods: electro-adsorption, mechanical, sorption and bacteriostatic filtration methods.
- ✓ Serves as a polishing carbon filter, effectively removing any residual chlorine left after the second filtration stage.

Reduction Claim

- ✓ PFOA (Perfluorooctanoic Acid) > 98.9%
- ✓ PFOS (Perfluorooctane Sulfonic Acid) > 99.0%
- ✓ Total Chlorine (Chloramines) > 99.3%
- ✓ Free Chlorine > 99.5%
- ✓ Lead (Pb) > 99.4% @pH 6.5
- ✓ Lead (Pb) > 99.4% @pH 8.5
- ✓ Copper (Cu) > 99.9% @pH 8.5
- ✓ Copper (Cu) > 99.9% @pH 6.5
- ✓ E.Coli (Total Coliforms) > 99.9999%
- ✓ Coliphage (Bacterial Virus) 99.9995%



FOR PFAS, FLUORIDE, HARDNESS REMOVAL AND MORE...

For customers looking for alkaline water (pH>9), a 99.99% fluoride and hardness removal as well as sweet tasting water (Bottled-like Water). The purchase, installation and maintenance of the system will be a fraction of a full-size reverse osmosis.

Certified Reduction Claim:

- ✓ Fluoride
- ✓ Nitrates & Salt
- ✓ Calcium Hardness
- ✓ Arsenic
- ✓ Urea (Urine Compounds)
- ✓ Microorganisms
- ✓ Pharmaceuticals
 - o Antibiotics
 - o Hormones
- ✓ PFAS (Flame Retardants)
- ✓ Endocrine Disrupting Chemicals (EDC)
 - o BPA
- ✓ Total Dissolved Solids (TDS)
 - o Organic Compounds
 - Aniline
 - Biphenyl
 - Caffeine
 - Chloroform
 - o Inorganic Compounds
 - Calcium Carbonate
 - Magnesium
 - Sodium Bicarbonate
 - Sodium Bromide
 - Sodium Chloride
 - Sodium Cyanide
 - Sodium Fluoride
 - Sulfates
 - Silica
 - Phosphoric Acid



\$695

FAQs

Where is it installed?

Most installations are on the side wall of your house, after the side gate, next to the water heater or in the garage. The location of the system will be discussed with you on the day of the installation.

Does it include the bypass?

All installations include the bypass to allow unfiltered or filtered water to go into the property. Also a bypass is needed when servicing or replacing your filters.

Multi-Stage Whole House Water Filtration System with Stainless Steel Cover



D: 22 cm

Technical Specifications

Max Flow Rate: 60 LPM
 Connection Type: 1" or 3/4" Ports
 Operating Pressure: 70 psi
 Maximum Pressure: 70 psi
 Minimum Pressure: 30 psi
 Operating Temperature: 2°C - 52°C

Does it lower my pressure?

In over 99% of installations, our customers report no significant pressure drop using our Whole House Water Filters. With the built-in pressure gauges, you can effortlessly monitor both incoming and outgoing water pressure, making it easy to determine if any pressure variations arise from the system itself.

Fully Automatic Water Softener with Multi-Stage Pre-Filtration System and Stainless Steel Cover



D: 21 cm

D: 37 cm

Technical Specifications

Max Flow Rate: 40 LPM
 Connection Type: 3/4" Ports
 Operating Pressure: 70 psi
 Maximum Pressure: 70 psi
 Minimum Pressure: 30 psi
 Operating Temperature: 2°C - 52°C



Choose Long Lasting Components, Choose AquaCo!

316 Marine Grade Stainless Steel Cover



The 316 Marine Grade Stainless Steel Cover is corrosion resistant and designed to protect equipment in extreme conditions. Also, when exposed to the same amount of heat, Stainless Steel conducts heat much more effectively than plastic, resulting in slower heating and a lower maximum temperature.

A shield, protecting the filter and its components from physical damage, potential UV degradation, or any other external factors that might compromise the filter's functionality or lifespan.

Stainless Steel Cover =
Cool under the sun



Plastic Cover =
Hot under the sun



Stainless Steel Cover =
Long-Lasting Housings



No Cover = Brittle &
Discoloured Housings



316 Marine Grade Stainless Steel Bracket, Frame & Gauges



Crafted from premium 316 Marine Grade Stainless Steel, the frame, bracket, and gauges offer exceptional durability, superior sun resistance, and outstanding protection against corrosion.

The sturdy frame ensures system rigidity, safeguarding the heads and pipework from stress during filter replacements.

Additionally, the stainless steel oil-filled pressure gauges deliver maximum precision and long-lasting durability, making this system both reliable and robust.



SS Frame & Bracket =
Highly Anticorrosive



Powder Coated Frames &
Covers = Rust, Crack & Peel



SS Pressure Gauges =
Strong & Corrosion Resistant



Plastic Gauges =
Discoloured & Brittle Gauges




316 Marine Grade Stainless Steel-Reinforced Heads



Stainless Steel-reinforced heads prevent leaks, cracks and material fatigue after years of use under pressure. Dezincified brass ports can leach zinc into the water and degrade in harsh environments.

SS Reinforced Heads =
Heavy-duty & Long-lasting



Plastic Ports =
Crack & Leak



Super-Seal Cap



Nipples in the caps provide a more secure and tighter seal compared to flat washers by sealing and compressing on the outside of the nipple (unfiltered water side) using a beveled edge instead of a sharp seal that usually cuts through the washer.

Super-Seal =
Better Seal & No
Contamination



Flat Washers =
Deteriorate, Release
Microplastics & Grow Mold



CAUTION! Stay away from POOR DESIGNS and FALSE DISCOUNTS!



1

Weather Proof!

Cool in summer,
corrosion resistant

2

Long lasting filters!

Filters last up to 18
months

3

**Multi-Stage
Filtration!**

Your house most
complete protection

4

Fuss free!

Our expert plumber
installs your system
on the spot

5

Peace of mind!

All claims backed by
laboratory test
results

WHOLE HOUSE WATER FILTERS



Multi-Stage Whole House Water Filtration System
with Stainless Steel Cover

Fully Automatic Water Softener with Multi-Stage
Pre-Filtration System and Stainless Steel Cover

Notes

- 1 Travel charges may apply for installations outside our catchment zones.
- 2 Terms and conditions apply for installation included in price (Specific requests or requirements may incur extra charges).
- 3 Power Point for water softener is not included.



	PREMIUM \$3395* Including Installation ^{1, 2}	PREMIUM PFAS \$3595* Including Installation ^{1, 2}	PREMIUM \$4900* Including Installation ^{1, 2, 3}	PREMIUM PFAS \$5100* Including Installation ^{1, 2, 3}
Certified Reduction Claim				
Sediments	✓	✓	✓	✓
Chlorine & Chloramines	✓	✓	✓	✓
Pesticides & Herbicides	✓	✓	✓	✓
Flammable Liquids (VOCs)	✓	✓	✓	✓
Taste, Odours & Colour	✓	✓	✓	✓
Heavy Metals (Copper, Iron, Lead...)	✓	✓	✓	✓
Parasites, Bacteria & Viruses	✓	✓	✓	✓
PFAS Compounds	✗	✓	✗	✓
Visible Calcium Scale	60%	>80%	100%	100%
Replacement Filters Pack	\$484 \$449* REP-203PR-WAWF	\$484 \$449* REP-203SCD-WAWF	\$374 \$349* REP-202PR-WAWF	\$374 \$349* REP-202SD-WAWF

*Prices are subject to change without any prior notice.

CERTIFICATIONS

5 YEARS WARRANTY

WaterMark
AS 3497: 2021
No. 23448

BENEFITS

- ✓ Water feels softer.
- ✓ Softer skin and hair.
- ✓ Better tasting tea and coffee.
- ✓ Clean and clear shower glass.
- ✓ Less scrubbing.
- ✓ Reduce scale build up.
- ✓ Cleaner and softer laundry.
- ✓ Longer-lasting appliances.
- ✓ Better lather and soap action.

Notes:

1. Installation cost may vary based on location.
2. Terms and conditions apply for installation included in the price. (Special location requests can incur extra charges.)

Reduction Claim

Sediments	✓	✓
Chlorine	✓	✓
Pesticides & Herbicides	✓	✓
Flammable Liquids (VOCs)	✓	✓
Taste, Odours & Colour	✓	✓
Heavy Metals (Copper, Iron, Lead...)	✓	✓
Parasites, Bacteria & Viruses	✓	✓
Chloramines	✓	✓
PFAS Compounds	✗	✓
Visible Scale Build Up	60%	>80%
Dimensions	System: 400 W x 740 H x 220 D mm	

Replacement Filters Bundle

\$299

\$299

Filters are rated to last up to 18 months. However, replacement frequency also depends on water quality and usage.

2-Stage Whole House Water Filtration System with Stainless Steel Cover



Including Installation ^{1,2}

PREMIUM

\$2295*



For high reduction of PFAS Compounds

Including Installation ^{1,2}

PREMIUM PFAS


\$2395*



Whole House Filtration System



Unlike a Three Stage Whole House System, these systems are not recommended for households when two showers running simultaneously. For homes with two or more bathrooms, we recommend considering our Triple Whole House Water Filter Systems.



316 Marine Grade Stainless Steel Cover, Bracket and Frame

Stainless Steel Cover:

1. Corrosion Resistant
2. Designed to protect equipment in extreme conditions keeping filters and housings cool.
3. The cover will no discolour or go brittle like plastic covers do.

SPECIFICATIONS

Max Flow Rate: 60 LPM
Connection Type: 1" or 3/4" Ports
Operating Pressure: 70 psi (480 kPa)
Operating Temperature: 2°C - 52°C (protect from freezing)
Filter Life: Up to 300,000 litres in city/town water



Compact Reverse Osmosis Addition **\$695**

For customers looking for alkaline water (pH>9), a 99.99% fluoride and hardness removal as well as sweet tasting water (Bottled-like Water), The purchase, installation and maintenance of the system will be a fraction of a full size reverse osmosis system. The whole house system will work as the pre-filtration stages that a regular reverse osmosis needs.



Alkaline Water

- ✓ Fluoride
- ✓ PFAS
- ✓ Antibiotics
- ✓ Hardness
- ✓ BPA
- ✓ Nitrates & Nitrites

SPECIFICATIONS

Dimensions:
200 H x 300 W x 100 D mm
Connects To: Cold Water Line
Membrane Flow Rate: 16L/h
System Outflow Rate: 3 L/min
Final pH Level: >9 (Alkaline Water)

MAINTENANCE RO

- 1st Service: Carbon Filter (Every year)
- 2nd Service: Membrane (Every 3 years)
- 3rd Service: Alkalising Filter (Every 2 years)



WaterMark
Certificate No.: 23448
AS 3497:2021



COMPONENTS

5 YEARS WARRANTY

SPECIFICATIONS

Operating Pressure: 240-600 kPa
Operating Temperature: 5-35°C
Connects To: 1/2" Cold Water Line
Membrane Flow Rate: 16 L/h
System Outflow Rate: 3 LPM

Reduction Claim

Sediments, Sand, Silt & Dirt	✓
Total Chlorine (FC, CC, TC)	✓
Pesticides & Herbicides	✓
Flammable Liquids (VOCs)	✓
Taste, Odours & Colour	✓
Heavy Metals (Copper, Arsenic, Mercury, Lead...)	✓
Parasites, Bacteria & Viruses	✓
Fluorides	✓
Nitrates, Antibiotics	✓
BPA & PFAS (Forever Chemicals)	✓
Silica & Hardness	✓

430 H x 360 W x 200 D mm



If a higher capacity is required, you can upgrade your 12 L Tank to a 18 L Tank for only \$50.
18 L Tank Dimensions: 279 D x 368 H mm
(The 18 L Tank holds up to 13 Litres)

The tank fills up with water coming from the membrane at a flow rate of 16 L/h* dependant on water pressure. This tank allows you to have up to 150 litres of water instantly* dependant on tank capacity.

*Prices are subject to change without any prior notice.

For customers looking for a 100% fluoride and hardness removal as well as sweet tasting water (Bottled-Like Water).



AquaCo Compact Reverse Osmosis System

\$695*

The whole house water filter will work as the pre-filtration stages that a regular reverse osmosis needs.

Therefore, the whole house water filter replaces the first and second stage in a regular reverse osmosis. As a result, the Compact Reverse osmosis is assembled with 3 stages only, or core components; carbon filter, membrane and alkalising filter.

The final stage in the compact reverse osmosis will effectively raise pH levels and produce antioxidant and oxygenating qualities. The final result is pure sweet-tasting water.



Installed with Whole House Water Filters

Our NEW Faucets feature an LED indicator that turns from blue to red after one year, serving as a reminder that it's time to replace your filters.

FILTRATION STAGES

1st Stage: Inline Carbon Pre-Filter. Coconut Shell Activated Carbon Media. Removes Chlorine, Taste, Odour, Colour and VOCs. Protects the membrane from Chlorine and Ammonia which can damage the membrane. Also, removes THMs, TCEs, Pesticides, Disinfectants and other Organic Pollutants.

2nd Stage: RO Membrane. Ultrafine Membrane for rejection to all salts, inorganic molecules, as well as organic molecules. The pore size is less than 0.0005 micron (human hair is 70 microns).

3rd Stage: Inline Alkalising/Mineralising Filter. The mineralising and alkalising filter, successfully raises the pH levels producing antioxidant and oxygenating qualities. Adds minerals such as Calcium, Magnesium and Potassium.

INSTALLATION

The installation price of the Compact Reverse Osmosis is included with the installation of the Whole House Water Filter. Otherwise, the installation price for the Compact Reverse Osmosis system starts at \$199* (prices may vary depending on location).

If drilling through stone is required, an additional \$50 will be charged for the diamond drill bit and insurance fee.



Our systems are installed under your existing kitchen bench and are **supplied with a chrome faucet** for your filtered drinking water and a 12 L Reverse Osmosis Tank, which holds up to 9 Litres.
12 L Tank Dimensions: 244 D x 366 H mm




Alkaline Water



If your water pressure is under 35 psi, you may be required to fit a booster pump for optimum performance of the system.

If you do not want a separate drinking faucet, you can upgrade your kitchen faucet and get a 3 Way Mixer Tap.





Reduction Claim

Sediments	✓
Chlorine	✓
Pesticides & Herbicides	✓
Flammable Liquids (VOCs)	✓
Taste, Odours & Colour	✓
Heavy Metals (Copper, Lead...)	✓
Parasites	✓
Bacteria & Viruses	✗
Fluorides	✗
Chloramines	✗
PFAS Compounds	✗

Replacement Filter

Filter Cartridges are recommended to be replaced every year. However, replacement frequency also depends on water quality and usage.

Every Year
Every 18 Months
Every Two Years

CHOICE OF FILTERS



Single Undersink System
w/ Carbon Filter

\$214*



Single Undersink System
w/ Disruptor*Filter

\$254*

\$70*

\$110*


SPECIFICATIONS

Dimensions:
150 W x 320 H x 130 D mm
Flow Rate: 3 LPM
Connects To:
1/2" Cold Water Line
Operating Temperature:
5-35°C
Max Pressure:
80 PSI

If height is an issue, the system can go laying down. This position won't affect its performance.

Components are Tested and Certified by NSF International under NSF/ANSI Standard 42 for material requirements only.

Our NEW Faucets feature an LED indicator that turns from blue to red when filters need replacing.



Single Undersink Water Filters are not recommended for WA residents. Filters block prematurely due to the high levels of sediments in the water and need frequent changing.

If you are a WA resident, we recommend a Twin Undersink System or a Reverse Osmosis System.

FROM
\$199*
INSTALLATION
Prices may vary depending on location.

If drilling through stone is required, an extra \$50 will be charged for the diamond drill bit and insurance fee.



WaterMark
Certificate No.: 23448
AS 3497: 2021


5 YEARS WARRANTY

T&Cs Apply.



Unlike an RO system, these systems will NOT reduce Total Dissolved Solids (TDS), Calcium Hardness or Fluoride. If you are interested in a filter that removes TDS, hardness, or Fluoride, consider our Reverse Osmosis (RO) systems.

If you do not want a separate drinking faucet, you can upgrade your kitchen faucet and get a 3 Way Chrome Mixer Tap for \$345*.





Reduction Claim

Sediments	✓
Chlorine	✓
Pesticides & Herbicides	✓
Flammable Liquids (VOCs)	✓
Taste, Odours & Colour	✓
Heavy Metals (Copper, Mercury, Lead...)	✓
Parasites	✓
Bacteria & Viruses	✗
PFAS Compounds	✗
Fluorides	✗
Chloramines	✗

Replacement Filters Bundle

Filter Cartridges are recommended to be replaced every year. However, replacement frequency also depends on water quality and usage.

Every Year
Every 18 Months
Every Two Years

Twin Undersink System w/ Sediment and Carbon



\$335*

Twin Undersink System w/ Sediment and Disruptor®



\$375*

Twin Undersink System w/ Fluoride and Disruptor®



\$450*

\$85*

\$125*

\$209*

CHOICE OF FILTERS

SPECIFICATIONS

Flow Rate: 3 LPM
Connects To: 1/2" Cold Water Line
Operating Temperature: 5-35°C
Dimensions:
270 W x 370 H x 130 D mm

If height is an issue, the system can go laying down. This position won't affect its performance.


FROM
\$199*

INSTALLATION

Prices may vary depending on location.

If drilling through stone is required, an extra \$50 will be charged for the diamond drill bit and insurance fee.

If you do not want a separate drinking faucet, you can upgrade your kitchen faucet and get a 3 Way Mixer Tap.



Unlike an RO system, these systems will NOT reduce Total Dissolved Solids (TDS), or Calcium Hardness.

If you are interested in a filter that removes TDS or hardness, consider our Reverse Osmosis (RO) systems.

Our NEW Faucets feature an LED indicator that turns from BLUE to RED when filters need replacing.

Dedicated Tap Dimensions



CHOICE OF FILTERS



Triple Undersink w/
Sediment, Carbon and
Carbon

\$435*



Triple Undersink w/
Sediment, Fluoride and
Carbon

\$485*



Triple Undersink w/
Sediment, Fluoride and
Disruptor®

\$545*

Reduction Claim

Sediments	✓
Chlorine	✓
Pesticides & Herbicides	✓
Flammable Liquids (VOCs)	✓
Taste, Odours & Colour	✓
Heavy Metals (Copper, Lead...)	✓
Parasites	✓
Fluorides	✗
Bacteria & Viruses	✗
PFAS Compounds	✗
Chloramines	✗

Replacement Filters Bundle

\$144*

\$184*

\$224*

SPECIFICATIONS

Flow Rate: 3 LPM
Connects To: 1/2" Cold Water Line
Operating Temperature: 5-35°C
Dimensions:
370 W x 370 H x 130 D mm

If height is an issue, the system can go laying down. This position won't affect its performance.




WaterMark

Certificate No.: 23448
AS 3497: 2021

5 YEARS WARRANTY

Our NEW Faucets feature an LED indicator that turns from blue to red when filters need replacing.



Unlike an RO system, these systems will NOT reduce Total Dissolved Solids (TDS), or Calcium Hardness.
If you are interested in a filter that removes TDS or hardness, consider our Reverse Osmosis (RO) systems.

FROM


\$199*

INSTALLATION

Prices may vary depending on location.

If drilling through stone is required, an extra \$50 will be charged for the diamond drill bit and insurance fee.

If you do not want a separate drinking faucet, you can upgrade your kitchen faucet and get a 3 Way Chrome Mixer Tap for \$345*.



Filter Cartridges are recommended to be replaced every year. However, replacement frequency depends on water quality and usage.

Every Year
Every 18 Months
Every Two Years